

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/697,145	10/28/2003	William Hsu	P00803-F001	9788	
7590 08/31/2005			EXAM	EXAMINER	
William Hsu			WEAVER, SUE A		
7F., NO. 213					
Civic Boulevard. Sec 4			ART UNIT	PAPER NUMBER	
Taipei,			3727		
TAIWAN			DATE MAILED: 08/31/2009	5	

Please find below and/or attached an Office communication concerning this application or proceeding.

		·1647				
	Application No.	Applicant(s)				
	10/697,145	HSU, WILLIAM				
Office Action Summary	Examiner	Art Unit				
	Sue A. Weaver	3727				
The MAILING DATE of this communication Period for Reply	appears on the cover sheet w	rith the correspondence address				
A SHORTENED STATUTORY PERIOD FOR RETHE MAILING DATE OF THIS COMMUNICATION - Extensions of time may be available under the provisions of 37 CFI after SIX (6) MONTHS from the mailing date of this communication. If the period for reply specified above is less than thirty (30) days, a If NO period for reply is specified above, the maximum statutory period for reply within the set or extended period for reply will, by stany reply received by the Office later than three months after the mearned patent term adjustment. See 37 CFR 1.704(b).	N. R 1.136(a). In no event, however, may a reply within the statutory minimum of thi riod will apply and will expire SIX (6) MO atute, cause the application to become A	reply be timely filed rty (30) days will be considered timely. NTHS from the mailing date of this communication. BANDONED (35 U.S.C. § 133).				
Status						
1) Responsive to communication(s) filed on _						
2a) This action is FINAL . 2b) ⊠ 1	This action is non-final.					
	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.					
Disposition of Claims						
5) ☐ Claim(s) is/are allowed. 6) ☑ Claim(s) 1 is/are rejected. 7) ☐ Claim(s) is/are objected to.	 Claim(s) 1 is/are pending in the application. 4a) Of the above claim(s) is/are withdrawn from consideration. □ Claim(s) is/are allowed. ☑ Claim(s) 1 is/are rejected. 					
Application Papers		•				
9)⊠ The specification is objected to by the Exan	niner.					
10)⊠ The drawing(s) filed on <u>28 October 2003</u> is/are: a) accepted or b)⊠ objected to by the Examiner.						
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).						
Replacement drawing sheet(s) including the control of the oath or declaration is objected to by the						
Priority under 35 U.S.C. § 119						
12) Acknowledgment is made of a claim for fore a) All b) Some * c) None of: 1. Certified copies of the priority docum 2. Certified copies of the priority docum 3. Copies of the certified copies of the papplication from the International Bu * See the attached detailed Office action for a	nents have been received. nents have been received in a priority documents have been reau (PCT Rule 17.2(a)).	Application No n received in this National Stage				
Attachment(s)						
1) Notice of References Cited (PTO-892) 4) Interview Summary (PTO-413) Paper No(s)/Mail Date						
 2) Notice of Draftsperson's Patent Drawing Review (PTO-948 3) Information Disclosure Statement(s) (PTO-1449 or PTO/SE Paper No(s)/Mail Date 	′ ₌ , — , , , ,	Informal Patent Application (PTO-152)				

Art Unit: 3727

1. The drawings are objected to under 37 CFR 1.83(a). The drawings must show every feature of the invention specified in the claims. Therefore, the member 30 being plastic as claimed, must be shown by proper cross hatching in the sectional views of Figures 3 and 4, or the feature(s) canceled from the claim(s). No new matter should be entered.

Page 2

Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after the filling date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

INFORMATION ON HOW TO EFFECT DRAWING CHANGES

Replacement Drawing Sheets

Drawing changes must be made by presenting replacement sheets which incorporate the desired changes and which comply with 37 CFR 1.84. An explanation of the changes made must be presented either in the drawing amendments section, or remarks, section of the amendment paper. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). A replacement sheet must include

Art Unit: 3727

all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of the amended drawing(s) must not be labeled as "amended." If the changes to the drawing figure(s) are not accepted by the examiner, applicant will be notified of any required corrective action in the next Office action. No further drawing submission will be required, unless applicant is notified.

Page 3

Identifying indicia, if provided, should include the title of the invention, inventor's name, and application number, or docket number (if any) if an application number has not been assigned to the application. If this information is provided, it must be placed on the front of each sheet and within the top margin.

Annotated Drawing Sheets

A marked-up copy of any amended drawing figure, including annotations indicating the changes made, may be submitted or required by the examiner. The annotated drawing sheet(s) must be clearly labeled as "Annotated Sheet" and must be presented in the amendment or remarks section that explains the change(s) to the drawings.

Timing of Corrections

Applicant is required to submit acceptable corrected drawings within the time period set in the Office action. See 37 CFR 1.85(a). Failure to take corrective action within the set period will result in ABANDONMENT of the application.

If corrected drawings are required in a Notice of Allowability (PTOL-37), the new drawings MUST be filed within the THREE MONTH shortened statutory period set for reply in the "Notice of Allowability." Extensions of time may NOT be obtained under the provisions of 37 CFR 1.136 for filing the corrected drawings after the mailing of a Notice of Allowability.

2. Applicant is reminded of the proper language and format for an abstract of the disclosure.

The abstract should be in narrative form and generally limited to a single paragraph on a separate sheet within the range of 50 to 150 words. It is important that the abstract not exceed 150 words in length since the space provided for the abstract on the computer tape used by the printer is limited. The form and legal phraseology often used in patent claims, such as "means" and "said," should be avoided. The abstract should describe the disclosure sufficiently to assist readers in deciding whether there is a need for consulting the full patent text for details.

Art Unit: 3727

The language should be clear and concise and should not repeat information given in the title. It should avoid using phrases which can be implied, such as, "The disclosure concerns," "The disclosure defined by this invention," "The disclosure describes," etc.

The abstract of the disclosure is objected to because it is too long. Correction is required. See MPEP § 608.01(b).

3. The disclosure is objected to because of the following informalities: The view of Figures 3 and 4 appear to be sectional views not perspective views as described.

Moreover applicant appears to have used "16" to describe both a chamber and second air guiding trench.

Appropriate correction is required.

4. The following is a quotation of the first paragraph of 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

Claim 1 is rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the enablement requirement. The claim(s) contains subject matter which was not described in the specification in such a way as to enable one skilled in the art to which it pertains, or with which it is most nearly connected, to make and/or use the invention.

Applicant describes and claims member as a "solid pipe" on page 5.

However Figures 3 and 4 show member 28 as hollow permitting the passage of fluid. It isn't clear therefore, how applicant considers member 28 to be "solid". If it was solid it doesn't appear that anything would be able to pass through it.

5. The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

Page 5

Claim 1 is rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

Claim 1 recites the limitation "the bottom surface" on lines 6 and 7, "said nipple bottom' in line 11, "said base side" in line 22, "the upper surface" in line 23 and "the bottom surface" in line 24. There is insufficient antecedent basis for this limitation in the claim.

Furthermore there doesn't appear to be sufficient structure for a mere first outer circle to close the bottom surface of the circular base. In like manner there doesn't appear to be sufficient structure for a second outer circle to close the first outer circle, as claimed in claim 1. A circle defines nothing more than a shape. It is suggested that circular wall would be a more appropriate term for first and second "circle".

- 6. Claim 1 would be allowable if rewritten or amended to overcome the rejection(s) under 35 U.S.C. 112, 1st and 2nd paragraph, set forth in this Office action.
- 7. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. The patents who features of applicant's invention.
- 8. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Sue A. Weaver whose telephone number is (571) 272-4548. The examiner can normally be reached on Tuesday-Friday (6-4:30).
- _ The fax phone number for the organization where this application or proceeding is assigned is 571,273-8300.

Art Unit: 3727

Page 6

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

SW

Sup A. Visavar Frimary Examiner